COMMONWEALTH OF VIRGINIA SCHOOL ENTRANCE HEALTH FORM

Health Information Form/Comprehensive Physical Examination Report/Certification of Immunization

Part I – <u>HEALTH INFORMATION FORM</u>

State law (Ref. Code of Virginia § 22.1-270) requires that your child is immunized and receives a comprehensive physical examination before entering public kindergarten or elementary school. **The parent or guardian completes this page (Part I) of the form.** The Medical Provider completes Part II and Part III of the form. This form <u>must be completed</u> no earlier than one year before your child's entry into school.

| Student's Name: Last Student's Date of Birth: Student's Address Name of Parent or Legal Guardian 1: Name of Parent or Legal Guardian 2: Emergency Contact: Hospital Preference: Child's Health Insurance: None Condition Allergies (food, insects, drugs, latex) Please list Life Threatening Allergies: Allergies (seasonal) | Sex: | Cit | y of Birth: | Zip Work Work Work | or Cell: or Cell: or Cell: |
|---|--------------------|---|--|-----------------------------|--|
| Student's Date of Birth:/ Student's Address Name of Parent or Legal Guardian 1: Name of Parent or Legal Guardian 2: Emergency Contact: Hospital Preference: Child's Health Insurance: None Foundition Allergies (food, insects, drugs, latex) Please list Life Threatening Allergies: | Sex: | State or Country City [edicaid] FAMIS Box 1. Pre | y of Birth: State | Main LangZipWorkWorkWork | Code or Cell: or Cell: |
| Student's Address | FAMIS Plus (M | City (edicaid) □ FAMIS Box 1. Pre | State | Zip Work Work Work | Code or Cell: or Cell: |
| Name of Parent or Legal Guardian 1: Name of Parent or Legal Guardian 2: Emergency Contact: Hospital Preference: Child's Health Insurance: None□ F | FAMIS Plus (M | edicaid) □ FAMIS Box 1. Pre | | Work Work Work | or Cell: or Cell: or Cell: |
| Name of Parent or Legal Guardian 1: Name of Parent or Legal Guardian 2: Emergency Contact:_ Hospital Preference: Child's Health Insurance: None□ Condition Allergies (food, insects, drugs, latex) Please list Life Threatening Allergies: | FAMIS Plus (M | edicaid) □ FAMIS Box 1. Pre | | Work Work Work | or Cell: or Cell: or Cell: |
| Name of Parent or Legal Guardian 2: Emergency Contact: Hospital Preference: Child's Health Insurance: None | FAMIS Plus (M | edicaid) □ FAMIS Box 1. Pre | Phone: Phone: Phone: Phone: Private/Commercial/ Employer Sp -Existing Conditions | Work | or Cell: |
| Emergency Contact: Hospital Preference: Child's Health Insurance: None Condition Allergies (food, insects, drugs, latex) Please list Life Threatening Allergies: | FAMIS Plus (M | edicaid) FAMIS Box 1. Pre | Phone: Private/Commercial/ Employer Sp -Existing Conditions | Work | or Cell: |
| Hospital Preference: Child's Health Insurance: None Condition Allergies (food, insects, drugs, latex) Please list Life Threatening Allergies: | FAMIS Plus (M | ledicaid) Box 1. Pre | ☐ Private/Commercial/ Employer Sp -Existing Conditions | | |
| Condition Allergies (food, insects, drugs, latex) Please list Life Threatening Allergies: | FAMIS Plus (M | fedicaid) FAMIS Box 1. Pre | Private/Commercial/ Employer Sp -Existing Conditions | onsored | |
| Condition Allergies (food, insects, drugs, latex) Please list Life Threatening Allergies: | | Box 1. Pre | -Existing Conditions | | |
| Allergies (food, insects, drugs, latex) Please list Life Threatening Allergies: | Yes | | | | |
| Please list Life Threatening Allergies: | | | | Yes | Comments |
| | <u> </u> | | Diabetes: Type 1 | | |
| | | | Diabetes: Type 2 | | |
| Allergies (seasonal) | | | Insulin pump | | |
| | | | Head injury, concussion | | |
| Asthma or breathing conditions | | | Hearing conditions or deafn | ess | |
| Attention-Deficit/Hyperactivity Disorder | | | Heart conditions | | |
| Behavioral/Psych/ Social conditions | | | Lead poisoning | | |
| Developmental conditions | | | Muscle conditions | | |
| Bladder conditions | | | Seizures | | |
| Bleeding conditions | | | Sickle Cell Disease (not tra | it) | |
| Bowel conditions | | | Speech conditions | | |
| Cerebral Palsy | | | Spinal injury | | |
| Cystic fibrosis Dental Health conditions | | | Surgery Vision conditions | | |
| Describe any other important health-related inform | , | (2 / | , , , e II , e , | 11 | , , |
| **. " | | | x 2. Medications | | |
| List all presc | ription, emerge | ency, over-the-counter, a | | 1 1 (TT / | a.t. 10 |
| M - 4: - 4: N | | D | and herbal medications your child takes re | gularly (Home/ | |
| Medication Name | | Dosage | Time Administered (Home/School) | egularly (Home/ | School): Notes |
| 1. | | Dosage | | egularly (<u>Home/</u> | |
| 1. 2. | | Dosage | | egularly (<u>Home/</u> | |
| 1. 2. | | Dosage | | egularly (<u>Home/</u> | |
| 1. 2. 3. 4. | ninistered, Notes) | | | egularly (<u>Home/</u> | |
| 1. 2. 3. 4. | | | Time Administered (Home/School) | | |
| 1. 2. 3. 4. Additional Medications (Name, Dose, Time Adn | | | Time Administered (Home/School) | No Please | Notes |
| 1. 2. 3. 4. Additional Medications (Name, Dose, Time Adn | | on with the school nurse | Time Administered (Home/School) | No Please | Notes Provide the following information |
| 2. 3. 4. Additional Medications (Name, Dose, Time Adn Check here if you want to discuss confidence) | | on with the school nurse | Time Administered (Home/School) | No Please | Notes Provide the following information |
| 2. 3. 4. Additional Medications (Name, Dose, Time Adn Check here if you want to discuss confidence of the confidence of | | on with the school nurse | Time Administered (Home/School) | No Please | Notes Provide the following information |
| 1. 2. 3. | ninistered, Notes) | | | egularly (<u>Home/</u> | |
| 2. 3. 4. Additional Medications (Name, Dose, Time Adn Check here if you want to discuss confide Pediatrician/primary care provider Specialist | | on with the school nurse | Time Administered (Home/School) | No Please | Notes Provide the following informations of the following informations of the following informations of the following information o |

MCH213G reviewed 10/2020 1

COMMONWEALTH OF VIRGINIA SCHOOL ENTRANCE HEALTH FORM

Part II - Certification of Immunization

| Check if the student's | |
|--------------------------------------|--|
| Immunization Records are attached | |
| using a separate form | |
| signed by HCP | |

Section I

See Section II for conditional enrollment and exemptions.

A copy of the immunization record signed or stamped by a physician or designee, registered nurse, or health department official indicating the dates of administration including month, day, and year of the required vaccines shall be acceptable in lieu of recording these dates on this form as long as the record is attached to this form. Form must be signed and dated by the Medical Provider or Health Department Official in the appropriate box. Please contact your local health department for assistance with foreign vaccine records.

| Student Name: | 10001100 | 701g | Date of Birth : | / / | / Sex: | | | |
|---|---|------------------|------------------------------|---|---------------------------------|--|--|--|
| Race (Optional): | Ethn | nicity: Hispanic | Non-Hispanic | | | | | |
| IMMUNIZATION | RECORD CO | OMPLETE DATES | 6 (month, day, year) OF | VACCINE DOSES | GIVEN | | | |
| Diphtheria, Tetanus, Pertussis Vaccine (DTP, DTaP) | 1 | 2 | 3 | 4 | 5 | | | |
| Diphtheria, Tetanus (DT) or Tdap or Td Vaccine (given after 7 years of age) | 1 | 2 | 3 | 4 | 5 | | | |
| Tdap Vaccine booster | 1 | | | | | | | |
| Poliomyelitis Vaccine (IPV, OPV) | 1 | 2 | 3 | 4 | 5 | | | |
| Haemophilus influenzae Type b Vaccine (Hib conjugate) only for children <60 months of age | 1 | 2 | 3 | 4 | | | | |
| Rotavirus Vaccine (RV) only for children < 8 months of age | 1 | 2 | 3 | | | | | |
| Pneumococcal Vaccine (PCV conjugate) only for children <60 months of age | 1 | 2 | 3 | 4 | | | | |
| Varicella Vaccine | 1 | 2 | Date of Varicel Immunity: | ila Disease OR Serolog | gical Confirmation of Varicella | | | |
| Measles, Mumps, Rubella Vaccine (MMR vaccine) | 1 | 2 | | | | | | |
| Measles Vaccine (Rubeola) | 1 | 2 | Serological Con | Serological Confirmation of Measles Immunity: | | | | |
| Rubella Vaccine | 1 | 2 | Serological Cor | Serological Confirmation of Rubella Immunity: | | | | |
| Mumps Vaccine | 1 | 2 | Serological Cor | Serological Confirmation of Mumps Immunity: | | | | |
| Hepatitis B Vaccine (HBV) ☐ Merck adult formulation used | 1 | 2 | 3 | 4 | | | | |
| Hepatitis A Vaccine | 1 | 2 | | | | | | |
| Meningococcal ACWY Vaccine | 1 | 2 | | | | | | |
| Meningococcal B Vaccine | 1 | 2 | 3 | | | | | |
| Human Papillomavirus Vaccine (HPV) | 1 | 2 | 3 | | | | | |
| Influenza (Yearly) | 1 | 2 | 3 | 4 | 5 | | | |
| Other | 1 | 2 | 3 | 4 | 5 | | | |
| Other | 1 | 2 | 3 | 4 | 5 | | | |
| I certify that this child is ADEQUATELY OR child care or preschool prescribed by the State | | PRIATELY IMMUN | | | | | | |
| Signature of Medical Provider or Health De | Signature of Medical Provider or Health Department Official: Date (Mo., Dav. Yr.): / | | | | | | | |

MCH213G reviewed 10/2020

| Section II |
|---------------------------------------|
| Conditional Enrollment and Exemptions |

| Common Dironnen und Exemptions |
|---|
| Complete the medical exemption or conditional enrollment section as appropriate to include signature and date. This section must be attached to Part I Health Information (to be filled out and signed by parent). |
| Student's Name: Date of Birth: Parent or Legal Guardian Name: Parent or Legal Guardian Name: Phone Number: |
| MEDICAL EXEMPTION: As specified in the <i>Code of Virginia</i> § 22.1-271.2, C (ii), I certify that administration of the vaccine(s) designated below would be detrimental to this student's health. The vaccine(s) is (are) specifically contraindicated because (please specify): |
| DTP/DTaP/Tdap : []; DT/Td: []; OPV/IPV: []; Hib: []; PCV: []; RV: []; Measles : []; Mumps: []; Rubella : []; VAR: []; Men ACWY: []; Men B: []; Hep A: []; HBV: [] This contraindication is permanent: [_], or temporary [] and expected to preclude immunizations until: Date (Mo., Day, |
| r.): . ignature of Medical Provider or Health Department Official:Date (Mo., Day, Yr.):/ |
| EELIGIOUS EXEMPTION: The <i>Code of Virginia</i> allows a child an exemption from receiving immunizations required for school attendance if the student or the student's reent/guardian submits an affidavit to the school's admitting official stating that the administration of immunizing agents conflicts with the student's religious tenets or ractices. Any student entering school must submit this affidavit on a CERTIFICATE OF RELIGIOUS EXEMPTION (Form CRE-1), which may be obtained at any local ealth department, school division superintendent's office or local department of social services. Ref. <i>Code of Virginia</i> § 22.1-271.2, C (i). |
| CONDITIONAL ENROLLMENT: As specified in the Code of Virginia § 22.1-271.2, B, I certify that this child has received at least one dose of each of the vaccines equired by the State Board of Health for attending school and that this child has a plan for the completion of his/her requirements within the next 90 calendar days. Next mmunization due on |
| Signature of Medical Provider or Health Department Official: Date (Mo., Day, Yr.): |

Section III Requirements

For Minimum Immunization Requirements for Entry into School and Day Care, consult the Division of Immunization web site at http://www.vdh.virginia.gov/epidemiology/immunization

Children shall be immunized in accordance with the Immunization Schedule developed and published by the Centers for Disease Control (CDC), Advisory Committee on Immunization Practices (ACIP), the American Academy of Pediatrics (AAP), and the American Academy of Family Physicians (AAFP), otherwise known as ACIP recommendations (Ref. Code of Virginia § 32.1-46(a)).

(Requirements are subject to change.)

MCH213G reviewed 10/2020 3

Part III -- COMPREHENSIVE PHYSICAL EXAMINATION REPORT

A qualified licensed physician, nurse practitioner, or physician assistant must complete Part III. The exam must be done no longer than one year before entry into kindergarten or elementary school (Ref. Code of Virginia § 22.1-270). Instructions for completing this form can be found at www.vahealth.org/schoolhealth.

| Stu | dent's Name: | Date of 1 | Birth: | | / | / | | | Sex: | \square M | \Box F | | | |
|---|--|-------------|----------|----------------|------------------|----------------|------------|-------|---------------|-------------|----------|-------------|--------|--------|
| | Date of Assessments | | | | | | Physica | | | | | | | |
| | Date of Assessment: // | 1 = Wi | ithin no | ormal | 2 = | = Abnorma | al finding | 3 | 3 = Ret | erred for | evalua | ation or t | eatme | nt |
| nt | Weight:lbs. Height:ftin. | | 1 | 1 2 | 3 | | | 1 | 2 3 | | | 1 2 | 3 | |
| me | Body Mass Index (BMI):BP | HEEN' | Т | | | Neurolo | _ | | | Skin | | | | |
| SSI | ☐ Age / gender appropriate history completed | Lungs | | | | Abdomen Genita | | | | | | | | |
| SST | ☐ Anticipatory guidance provided | Heart | | | | Extrem | ities | | | Urina | ıry | | | |
| h A | Tubo | rculosis S | Sanaa | nina | | | | | l l | ı | | l l | | |
| Health Assessment | Check the box that applies: | r culosis s | scree | :111112 | | | | | | | | | | |
| He | | symptoms of | | atible | with | | □ Ris | k fo | or TB i | nfection | or sy | mptom | ident | tified |
| | | Γ Reading_ | | mm | | | | | | legative | | □ Pos | sitive | |
| | CXR required if positive test for TB infection or TB symptoms. CXR Date: | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | Blood Lead: | | Hct/H | gb | | | | | | | | _ | | |
| | Assessed for: Assessment Method: | | Withi | in norn | nal | | Concern | ide | ntified: | | Refe | erred for | Evalue | ation |
| tal | Emotional/Social | | | | | | | | | | | | | |
| Developmental Screen | Problem Solving | | | | | | | | | | | | | |
| elopmen Screen | Language/Communication | | | | | | | | | | | | | |
| eve | Fine Motor Skills | | | | | | | | | | | | | |
| Q | Gross Motor Skills | | | | | | | | | | | | | |
| | ☐ Screened at 20dB: Indicate Pass (P) or Refer (R) in each b | | | | | | | | | | | | | |
| ے م <u>ن</u> | ☐ Screened by OAE (Otoacoustic Emissions): ☐ Pass ☐ | Referred | | Referr | ed to A | Audiologis | st/ENT | | □ Uı | nable to t | est – r | needs res | creen | |
| Hearing | 1000 2000 4000 | | | Perma | nent H | learing Lo | ss Previo | ousl | y identii | ñed: □ | Left | □ R: | ght | |
| He | R | , | | | | or another | | | | | | | J | |
| | L | ı | | ricarii | ig aid . | or unounci | 4551511 VC | , ac | VICC | | | | | |
| | ☐ With Corrective Lenses (Check if yes) | | | | | □ Prob | lems Ide | ntif | ied: Ref | erred for | Treati | ment | | |
| Vision Screen | Stereopsis Pass Fail Not tested | | | | TE 5 | | | | | r prevent | | | | |
| Scr | Distance Both R L Test used: | | | | Dental Screen | No P | | | | eiving de | | nra | | |
| ion | 20/ 20/ 20/ | | | | Ŏ Š | | | | - | civing de | illai Ca | are | | |
| Visi | | | | | | □ Una | ble to pe | rto | rm | | | | | |
| , | □ Pass □ Referred to eye doctor □ Unable to test-need | | | | | | | | | | | | | |
| 7 5 | Summary of Findings (check one): □ Well child; no conditions identified of concern to | school pro | gram | activi | ties | | | | | | | | | |
| Recommendations to (Pre) School, Child Care or Early Intervention | ☐ Conditions identified that are important to school | | | | | mplete se | ections b | elc | w and | or expla | in he | re): | | |
| e) Se | Allergy: food: insect: | | | | 1: . | • | | | | | | | | |
| (Pre | Allergy: \Box 100d: \Box 11sect: \Box 17ype of allergic reaction: \Box anaphylaxis \Box loo | cal reactio | n Ra | II ⊔ ecnone | 1ea1c | ine: | none | _ 0 | U U ninenh | ner: | o-inie | ector [| 1 othe | apr. |
| to Y | Type of allergic reaction: □ anaphylaxis □ loc Individualized Health Care Plan needed (e.g Restricted Activity Specify: Developmental Evaluation □ Has IEP □ Form | | | | | | | | | | o-inge | <i>CiOi</i> | Othe | J1 |
| ions | Restricted Activity Specify: | | | | | | | | | | | | | _ |
| dat | Developmental Evaluation □ Has IEP □ Formula Medication. Child takes medicine for specific | urther eval | uation | need | led for | r: | | | 1 | 1/. | | :1-1-1 | 1 | |
| nen Jare | Special Diet Specify: | nearm con | aition | ı(s). | | □ Mean | cauon m | ıusı | be giv | en and/o | or ava | mable a | . scno | 01. |
|) mc | Special Needs Specify: | | | | | | | | | | | | | _ |
| Rec | Other Comments | | | | | | | | | | | | | _ |
| | Other Comments: | | | | | | | | | | | | | |
| Цал | lth Care Professional's Certification (Write legibly or st | tamp) 🗆 | Dv. cl. | oolzin- | thic L | ov I cont | ify vy:4L | 022 | olootro- | io siana | uro 4l | ot ell af | the | |
| | inth Care Professional's Certification (Write legibly of si rmation entered above is accurate (enter name and date on sign: | • / | • | _ | | oux, 1 cert | iiy with | all (| electror | uc signat | ure th | iat aii 0I | ше | |
| Nar | - | | 1111 | ics Deli | | gnature: | | | | | | Ι |)ate:_ | |
| | ctice/Clinic Name: | | ress:_ | | | , | | | | | | | | |
| | | | | | | | | | | | | | | |



Virginia Authorization Form for Schools to Administer Medications, Release and Indemnification Agreement

| Part I – To Be Completed by the Parent/G | uardian | | |
|--|--|---|--------------------------------|
| I hereby authorize The Siena School (Siena) personn harmless Siena and any of their officers, staff memb student use medication, provided Siena staff membe of Part II below. I have read the procedures outlined | ers, or agents from lawsuits, claims, expenses, rs comply with the licensed prescriber, parent | demands, or actions, etc., again or guardian orders set forth in | st them for helping this |
| Student: | Birth date: | | |
| Prescription:RenewalNew | | given at home on: | |
| Aller gies | | | |
| List all medication(s) the student is taking, | including over-the-counter medication | n(s): | |
| Parent/Guardian Signature | Phone Number | Dat | e |
| Part II – To Be Completed by the Physicia | n for Prescriptions or Parent for Ove | r The Counter (OTC) Me | dications |
| PARENT OR GUARDIAN TO COMPLETE AND S FOR RELIEF OF SYMPTOMS FOR HEADACHE AND ANTIVIRAL MEDICATION FOR UP TO TE ALL OTHER MEDICATIONS. | , MUSCLE ACHE, ORTHODONTIC PAIN, O | OR MENSTRUAL CRAMPS A | ND FOR ANTIBIOTIC |
| **I have read the above parent/guardian i ***MUST USE A SEPARA | nformation and assume the responsib TE FORM FOR EACH PRESCRIPT | | <u> </u> |
| Name of Medication: | Diagnosis | (write out): | |
| Dosage:Frequency (write | out): Time(s) to be given | at school: | |
| Route of Administration: | Effective Dates: From: | То: | |
| Side Effects: | | | |
| If PRN, must specify indication (signs/sym | nptoms): | | |
| **Physician's Name (Print/Type) MD Address or stamp: | **Physician Signature | Phone Number Fax : | Date |
| SELF-CARRY/SELF-ADMINIST | RATION OF EMERGENCY MEDIC | CATION AUTHORIZATI | ON/APPROVAL |
| Self-carry/self-administration of Emergency med. such | ch as inhalers and EpiPens® must be authorize | ed by the prescriber according t | to VA state medication policy. |
| **MD Pre | scriber's authorization Signature | Date | |
| Part III – To Be Completed By the School Parts I and II above are completed, i Medication label and physician orde | | dication is properly labeled C Medication is in manufac | |
| School Signature and Date | | | |

Information and Procedures

- 1. Medications should be taken at home whenever possible so that the student will not lose valuable classroom time or have a shortened lunch period. Any medication taken in school must have a parent or guardian-signed authorization; some medications also require licensed prescriber's orders. Medication must be kept in the school-approved location during the school day. The parent or guardian must transport medications to and from school, except a high school student may carry an overthe-counter medication to and from the school office.
- 2. No medication will be accepted by school personnel without receipt of completed and appropriate medication forms. Only a 30-day supply of medication should be brought in to school at a time.
- 3. A licensed prescriber may use office stationery or a prescription pad in lieu of completing Part II. Include the following information written in lay language with no abbreviations:
 - Name of student
 - Date of birth
 - Reason for medication or diagnosis
 - Name of medication
 - Exact dosage to be taken in school (e.g., mg, ml, or cc)
 - Time to take medication and frequency or exact time interval dosage is to be administered Sequence in which the medications should be taken in cases where more than one medication is prescribed
 - If medication is given on an as-needed basis, specify the exact conditions or symptoms when medication is to be taken and the time at which it may be given again. ("Repeat as necessary" is unacceptable.)
 - Duration or effective dates of medication order
 - Licensed prescriber's signature and date
 - Route of administration
- 4. All prescription medications, including licensed prescriber's prescription drug samples, must be in their original containers and labeled by a licensed prescriber or pharmacist. An over-the-counter medication must be in the original container with the name of the medication visible. The parent or guardian must label the original container with the following:
 - Name of student
 - Route of administration
 - Exact dosage to be taken in school (e.g., mg, ml, or cc)
 - Frequency or time interval dosage is to be administered
- 5. The first dose of any new medication must be given at home.
- 6. The parent or guardian is responsible for submitting a new form to the school at the start of the school year and each time there is a change in the dosage or in the time at which medication is to be taken.
- 7. Medication kept in the school will be stored in a locked area accessible only to authorized personnel.
- 8. Within one week after expiration of this authorization or on the last day of school, the parent or guardian must pick up any unused portion of the medication. Medications not claimed within that period will be destroyed.
- 9. The student is to come to the school predetermined location, at the prescribed time to receive medication. Parent or guardian should develop a plan with the student to ensure that the student goes to the school office at the appropriate time. Medication can be given no more than one half hour before or after the prescribed time.
- 10. Siena does not assume responsibility for authorized medication taken independently by the student.
- 11. In no case may any school member administer any medication outside the framework of the procedures outlined here and/or in Siena regulations.
- 12. The parent or guardian must provide Siena a supply of medication to be administered during the school day and/or field/overnight trips.



FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN

| Name: [| D.O.B.: | PLACE PICTURE |
|--|---------|------------------|
| Allergy to: | | HERE |
| Weight: lbs. Asthma: [] Yes (higher risk for a severe reaction) | [] No | |

NOTE: Do not depend on antihistamines or inhalers (bronchodilators) to treat a severe reaction. USE EPINEPHRINE.

Extremely reactive to the following foods: THEREFORE:

[] If checked, give epinephrine immediately for ANY symptoms if the allergen was likely eaten.

[] If checked, give epinephrine immediately if the allergen was definitely eaten, even if no symptoms are noted.

FOR ANY OF THE FOLLOWING:

SEVERE SYMPTOMS



Short of breath. wheezing, repetitive cough



HFART

Pale, blue. faint, weak pulse, dizzy



THROAT

Tight, hoarse, trouble breathing/ swallowing



Significant swelling of the tongue and/or lips



Many hives over body, widespread redness



Repetitive vomiting, severe diarrhea



OTHER

Feeling something bad is about to happen, anxiety, confusion



of symptoms from different body areas.









1. INJECT EPINEPHRINE IMMEDIATELY.

- 2. **Call 911.** Tell them the child is having anaphylaxis and may need epinephrine when they arrive.
- Consider giving additional medications following epinephrine:
 - Antihistamine
 - » Inhaler (bronchodilator) if wheezing
- Lay the person flat, raise legs and keep warm. If breathing is difficult or they are vomiting, let them sit up or lie on their side.
- If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose.
- Alert emergency contacts.
- Transport them to ER even if symptoms resolve. Person should remain in ER for at least 4 hours because symptoms may return.

MILD SYMPTOMS



NOSE

Itchy/runny

nose,

sneezing

Itchy mouth







Mild nausea/ discomfort

FOR MILD SYMPTOMS FROM MORE THAN ONE SYSTEM AREA, GIVE EPINEPHRINE.

FOR **MILD SYMPTOMS** FROM **A SINGLE SYSTEM** AREA. FOLLOW THE DIRECTIONS BELOW:

- 1. Antihistamines may be given, if ordered by a healthcare provider.
- 2. Stay with the person; alert emergency contacts.
- 3. Watch closely for changes. If symptoms worsen, give epinephrine.


MEDICATIONS/DOSES

| Epinephrine Brand: _ | | | | | | | |
|---------------------------------|-----------------------|---------------|--|--|--|--|--|
| Epinephrine Dose: | [] 0.15 mg IM | [] 0.3 mg IM | | | | | |
| Antihistamine Brand or Generic: | | | | | | | |
| Antihistamine Dose: | | | | | | | |
| Other (e.g., inhaler-br | onchodilator if wheez | ing): | | | | | |

FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN


EPIPEN® (EPINEPHRINE) AUTO-INJECTOR DIRECTIONS

- 1. Remove the EpiPen Auto-Injector from the plastic carrying case.
- 2. Pull off the blue safety release cap.
- 3. Swing and firmly push orange tip against mid-outer thigh.
- 4. Hold for approximately 10 seconds.
- 5. Remove and massage the area for 10 seconds.



AUVI-Q™ (EPINEPHRINE INJECTION, USP) DIRECTIONS

- Remove the outer case of Auvi-Q. This will automatically activate the voice instructions.
- 2. Pull off red safety guard.
- 3. Place black end against mid-outer thigh.
- 4. Press firmly and hold for 5 seconds.
- 5. Remove from thigh.



ADRENACLICK®/ADRENACLICK® GENERIC DIRECTIONS

- 1. Remove the outer case.
- 2. Remove grey caps labeled "1" and "2".
- 3. Place red rounded tip against mid-outer thigh.
- 4. Press down hard until needle penetrates.
- 5. Hold for 10 seconds. Remove from thigh.



OTHER DIRECTIONS/INFORMATION (may self-carry epinephrine, may self-administer epinephrine, etc.):

Treat the person before calling emergency contacts. The first signs of a reaction can be mild, but symptoms can get worse quickly.

| EMERGENCY CONTACTS — C | CALL 911 | OTHER EMERGENCY CONTACTS |
|------------------------|----------|--------------------------|
| RESCUE SQUAD: | | NAME/RELATIONSHIP: |
| DOCTOR: | _PHONE: | PHONE: |
| PARENT/GUARDIAN: | PHONE: | NAME/RELATIONSHIP: |
| | | PHONE: |

Virginia Asthma Action Plan

School: Effective Dates:

| Name | | | Date of Birth | | | | | | |
|---|--|---|--------------------------------|--------------------|------------------|--|--|--|--|
| Health Care Provider | Emergency Contact | | Emergency Contact | | | | | | |
| | | | | | | | | | |
| Provider Phone # | Phone: area code + nu | ımber | Phone: area code + | number | | | | | |
| Fax # | Contact by text? | ☐ YES ☐ NO | Contact by text? | ☐ YES | □ № | | | | |
| <u></u> | ledical provider comple | ete from here do | own 🔻 | | | | | | |
| Asthma Triggers (Things that mal | | | | | | | | | |
| Colds Du | | | ☐ Strong odors ☐ Mold/moisture | | ason □ Spring | | | | |
| | cid reflux Pests (rodents, contercise Other: | • | ☐ Stress/Emotions | _ | ☐ Summer | | | | |
| Asthma Severity: ☐ Intermitt | | | evere | | | | | | |
| Green Zone: Go! Take these CONTROL Medicines every day at home | | | | | | | | | |
| Green Zone: Go: | Take these CONTR | | every day <u>at n</u> | <u>ome</u> | | | | | |
| You have ALL of these: • Breathing is easy | Always rinse your mouth a your MDI when possible. | nfter using your inh □ No control medi | | use a spac | er with | | | | |
| No cough or wheeze | □ Advair, □ Alvesco_ | | | | | | | | |
| Can work and play | ☐ Breo, ☐ Budesonide | | | | cort | | | | |
| Can sleep all night | Bico, Bibacsoniac | , 🗖 Duicia | , Briovent | _, 🗖 raiiriii | cort | | | | |
| Peak flow: to | □ QVAR Redihaler, □ S | ymbicort, □ | l Other: | | | | | | |
| (More than 80% of Personal Best) | MDI: puff (s) tim | es per day <u>o</u> r Nebul | izer Treatment: | _ times per | day | | | | |
| Personal best peak flow: | Singulair/Montelukast take | mg by mouth | once daily | | | | | | |
| | exercise/sports add: MDI was Xopenex I Ipratopium If | | | ise: | | | | | |
| Yellow Zone: Caution! | Continue CONTRO | OL Medicines a | nd <u>ADD</u> RESCU | E Medici | nes | | | | |
| You have ANY of these: | ☐ Albuterol ☐ Levalbuterol | (Xopenex) □ Ipratro | nium (Atrovent) | | | | | | |
| Cough or mild wheeze | | | | | | | | | |
| First sign of cold | MDI: puffs with spa | _ | | | | | | | |
| Tight chestProblems sleeping, | ☐ Albuterol 2.5 mg/3m1 ☐ L | _evalbuterol (Xopenex) | ☐ Ipratropium (Atro\ | /ent) 2.5mg/ | 3m1 | | | | |
| working, or playing | Nebulizer Treatment: one to | reatment every | Hours as needed | | | | | | |
| Peak flow: to | Call your Healthcare | Provider if you ne | ed rescue medicine | for more t | han | | | | |
| (60% - 80% of Personal Best) | 24 hours <u>or</u> two time | es a week <u>or</u> if you | r rescue medicine d | loes not w | ork. | | | | |
| Red Zone: DANGER! | Continue CONTR | OL & RESCUE | Medicines and | GET HE | LP! | | | | |
| You have ANY of these: | ☐ Albuterol ☐ Levalbuterol (| Xopenex) 🛮 Ipratropiu | m (Atrovent) | | | | | | |
| Can't talk, eat, or walk wellMedicine is not helping | MDI: puffs with spacer | every 15 minutes, for | THREE treatments | | | | | | |
| Breathing hard and fast Blooking and financial Blooking and financial | ☐ Albuterol 2.5 mg/3m1 ☐ | Levalbuterol (Xopenex) | ☐ Ipratropium (Atro | ovent) | | | | | |
| Blue lips and fingernailsTired or lethargic | Nebulizer Treatment: one | • | , , , | or THREE tr | reatments | | | | |
| Ribs show | | | | | | | | | |
| Peak flow: < (Less than 60% of Personal Best) | Call 911 or go direc | tly to the Eme | ergency Depart | ment No | OW! | | | | |
| I give permission for school per | · · · · · · · · · · · · · · · · · · · | SCHOOL MEDICATIO | N CONSENT & HEALTH | CARE PROVID | DER ORDER | | | | |
| administer medication and care fo | = | CHECK ALL THAT APPLY | | | | | | | |
| provider if necessary. I assume ful the school with prescribed medicat | | | rry and self-administe | | | | | | |
| devices. I approve this Asthma Mana | - | - | pervision/assistance & s | should not ca | rry the | | | | |
| With HCP authorization & parent co | | inhaler in school. | | | | | | | |
| in □ clinic or □ with student (self-ca | arry) | | | | _ | | | | |
| PARENT/Guardian | Date | MD/NP/PA SIGNATURE: | | DAT | E | | | | |
| cc: ☐ Principal ☐ Parent/gua | ardian ☐ School Nurse or cl | inic 🗆 Bus Driver | ☐ Coach/PE | | | | | | |
| ☐ Office Staff ☐ School Staff | f □ Cafeteria Mgr _{Vii} | ☐ Office Staff ☐ School Staff ☐ Cafeteria Mgr ☐ Transportation Virginia Asthma Action Plan approved by the Virginia Asthma Coalition (VAC) 03/2019 | | | | | | | |



Seizure Action Plan

Effective Date

| This stu | | ated for a seizure | disorder. The i | nformation below should as | sist you if a seizure occurs during | | |
|---|--------------------------|---------------------|-----------------|-------------------------------------|--|--|--|
| Student's | | | | Date of Birth | | | |
| Parent/G | uardian | | | Phone | Cell | | |
| Other Em | nergency Contact | | | Phone Cell | | | |
| Treating | Physician | | | Phone | | | |
| Significar | nt Medical History | | | | | | |
| Seizur | e Information | | | | | | |
| | | 1 | F | De a suitable se | | | |
| Se | eizure Type | Length | Frequency | Description | | | |
| | | | | | | | |
| | | | | | | | |
| Seizure t | riggers or warning | signs: | Student's | s response after a seizure: | | | |
| Basic I | First Aid: Care & | Comfort | | | Basic Seizure First Aid | | |
| | escribe basic first a | | | | Stay calm & track time | | |
| Does student need to leave the classroom after a seizure? If YES, describe process for returning student to classroom: Emergency Response | | | | | Keep child safe Do not restrain Do not put anything in mouth Stay with child until fully conscious Record seizure in log For tonic-clonic seizure: Protect head Keep airway open/watch breathing Turn child on side | | |
| A "seizure emergency" for this student is defined as: Seizure Emergency Protoco (Check all that apply and clarify b Contact school nurse at | | | | contact ications as indicated below | A seizure is generally considered an emergency when: Convulsive (tonic-clonic) seizure lasts longer than 5 minutes Student has repeated seizures without regaining consciousness Student is injured or has diabetes Student has a first-time seizure Student has breathing difficulties Student has a seizure in water | | |
| Treatm | ent Protocol Du | ring School Ho | urs (include da | nily and emergency medic | ations) | | |
| Emerg. Med. ✓ | Medication | Dosag Time of Da | | Common Side Effe | cts & Special Instructions | | |
| | | | | | | | |
| | | | | | | | |
| Does stu | dent have a Vagus | Nerve Stimulato | r? ☐ Yes ☐ | No If YES, describe mag | net use: | | |
| Specia | I Considerations | s and Precautio | ns (regarding : | school activities, sports, t | rips, etc.) | | |
| Describe | any special consid | derations or precau | utions: | | | | |
| Physicia | n Signature | | | Date | | | |
| | | | | | | | |
| | • | | | · | DPC772 | | |

VIRGINIA CHILDHOOD VACCINATION SCHEDULE

BIRTH - 6 YEARS

Updated 8/2022















| HEP B |
|----------|
| 1st dose |
| |



Minimum age to begin these vaccinations is 6 weeks

HEP B 2nd dose

16 weeks from dose one, and 8 weeks from dose two, and at least 24 weeks of age



DTaP

3rd dose

Polio

3rd dose

Hib

PCV



DTaP

4th dose

Depending on vaccine type this dose may

need 15 month

interval

(ask provider)

DTaP 5th dose

minimum age 4 years **Polio**

4th dose minimum age 4 years

DTaP 1st dose

Polio 1st dose

Hib

1st dose

PCV 1st dose

Rotavirus vaccine 1st dose

DTaP 2nd dose

Polio 2nd dose

Hib 2nd dose

Minimum age to begin these vaccinations is 4 weeks after 1st dose

PCV 2nd dose

Rotavirus vaccine 2nd dose

Minimum age to begin these vaccinations is 4 weeks after previous dose 3rd dose 3rd dose

Rotavirus vaccine

3rd dose This dose must be completed by 8 months 0 days. Depending on manufacturer may need other interval

Hib

4th dose

PCV

4th dose

HEP A 1st dose

Minimum 6 months interval

HEP A 2nd dose

MMR* 1st dose

Varicella*

1st dose

MMR* 2nd dose

Varicella* 2nd dose



Combination Vaccines

requirements and exemptions:

School Requirements

Many vaccines are combined into one shot. This is proven to be safe and effective, helping lower the number of shots your child will get.

The Code of Virginia requires children entering daycare,

public and private schools to give proof of vaccination before

schedule recommended by the CDC, American Academy of

visit our website to learn more about school immunization

https://www.vdh.virginia.gov/immunization/requirements/

enrolling in school. The vaccines should be given based on the

Pediatrics, and American Academy of Family Physicians. Please



Herd Immunity

This protects your community from disease by immunizing as much of the community as possible. This helps protect babies, the elderly, and others who get sick easily!






Annual Flu Vaccine For Everyone 6 Months and Older

VIRGINIA ADOLESCENT VACCINATION SCHEDULE

7 YEARS- 18 YEARS

Updated 8/2022



Annual Flu Vaccine For Everyone 6 Months and Older

School Requirements

The Code of Virginia requires children entering daycare, public and private schools to give proof of vaccination before enrolling in school. The vaccines should be given based on the schedule recommended by the CDC, American Academy of Pediatrics, and American Academy of Family Physicians. Please visit our website to learn more about school immunization requirements and exemptions:

https://www.vdh.virginia.gov/immunization/requirements/



If your child is missing any vaccines, be sure to ask your provider about the **catch-up** schedule so your child is fully protected. Doses of **MMR** and **Varicella** should be spaced **28 days** apart, should complete by Kindergarten.

HPV Vaccine

The HPV vaccine is the only vaccine that helps to prevent cancer! In Virginia, it is required before going to 7th grade. For more information on HPV vaccine requirements and the HPV vaccine opt-out clause, please visit the following website: https://www.vdh.virginia.gov/content/uploads/sites/11/2021/03/HPV_Letter_Spring.pdf . Please be sure your child finishes the HPV series vaccine by age 13, for the most protection. If your child is 15 years or older at the time of the first shot of HPV, they will need 3 doses for full protection.

Serogroup B Meningococcal Vaccine (MenB)**

Older teens and young adults (ages 16-23) can receive the MenB vaccine. Talk with your child's health care provider to learn if the MenB vaccine is right for your teen.

Health care providers - physicians, specialists, physician assistants, nurse practitioners, registered nurses, etc.



Vaccine Abbreviations

HepB Hepatitis B vaccine

DTaP Diphtheria, tetanus, and pertussis vaccine

Hib Haemophilus influenza type b vaccine

HepA Hepatitis A vaccine

MMR Measles, mumps, and rubella vaccine

PCV Pneumococcal Conjugate Vaccine

Tdap Tetanus, diphtheria, and pertussis vaccine

MenACWY Meningococcal Conjugate Vaccine (ACYW)

MenB Meningococcal Conjugate Vaccine (B)



